

# BESSNITENTS



# **APPLICATIONS**

Client End

Solar Energy Storage

Energy Storage Power Station

Generation-Side End

Generation-Side Energy Storage

Integrated PV Energy Storage Station

**Transmission & Distribution** 

Power Station ESS Solutions

Grid Station Area ESS Solutions

Microgrid

Solar Energy BESS Charging Station

**BESS** 

Hybrid Commercial and Industrial ESS

Distributed Air Cooling BESS System



# POWER

# **Client End**



# **Overview**

Tide Power string energy storage system can provide customers with peak-to-valley arbitrage mode and backup power guarantee, as well as dynamic capacity expansion. Power Rent string energy storage system can be applied to household energy storage, large industrial and commercial, 5G base stations, micro-grids, virtual power plants and other livelihood areas, helping customers to reduce electricity costs, provide emergency protection, and promote green energy to benefit all people.









Self-consumption Time-of-use optimisation

Reduce electricity costs

# **Solar Energy Storage**



# **Energy Storage Power Station**





# **Generation - side end**



# **Overview**

Energy storage plants play an important role on the generation side by providing a buffer between electricity generation and consumption. They allow excess energy to be stored when demand is low and released when demand is high, which can help improve the efficiency and reliability of power generation. It can also help mitigate the impact of intermittent renewable energy sources such as wind and solar. By storing excess energy generated during periods of high production, energy storage power plants can help ensure a consistent supply of electricity when these sources are not producing.



Load shifting




energy integration




Capacity stability

# **Generation-Side Energy Storage**



# **Integrated PV Energy Storage Station**



# **TRANSMISSION & DISTRIBUTION END**



# 

#### **Overview**


A grid-scale energy storage plant plays a crucial role in improving the reliability and stability of the electricity grid. These power plants store excess energy during periods of low demand and release it during periods of high demand, helping to balance supply and demand on the grid. This can help reduce the need for expensive and less efficient peaking power plants, which are typically used only during periods of high demand.








### **Power Station ESS Solutions**




## **Grid Station Area ESS Solutions**






# **Microgrid EDD**



# **Solar Energy BESS Charging Station**







# **Demonstrations**



Energy Storage Power Station
Providing backup power

400kW / 800kWh

# Energy Storage Power Station Peak shaving Load balancing

1.20MW / 2.4MWh

Backup powe





Energy Storage Power Station
Reducing peak demand

200kW / 400kWh

#### Generation-Side Energy Storage

Load shifting Capacity Stability Frequency regulatio

150kW / 300kWh

# **BESS**

# **Hybrid Commercial and Industrial ESS**

# **Features**

- · All-in-one design with a high degree of integration.
- Modular design with optional modules of different sizes.
- Support for grid-connected and off-grid operation
- · MPPT Solar controller available as an option
- IP54 class fire and explosion-proof housing
- Patented air duct design, intelligent air cooling,
   3-5°C temperature difference of the battery core



# **Applications**



Self-Consumption



DG+BESS



Off grid



Micro-grid



**Demand Charge** 



Smooth output



Back Up



Shaving

# **Demonstrations**





# 50kW-6MW

Industrial roof photovoltaic

# 1-20MW Water surface photovoltaic



# 10-20MW

Mountain land photovoltaic

# **Solar Components**



# Roofs, factories, Mountain land, Bay surface, desert

# **Features**

- Monolithic power of 600-720W solar power components, power conversion efficiency of 23.2%, construction covers 50kW-500MW quality assurance for 12 years, more than 30 years of life.
- Compared to the original capacity, the continuous output after 30 years will not be less than 90.3%. Designed various installation components and conducted mechanical analysis.
- · Variety of foreign construction project ability.
- Cooperate with TIDE BESS, the realization of comprehensive application of various occasions.

# **System Certificates**





PV CYCLE













# **Attenuation and PV curves**

